

Control Number: 50596



Item Number: 62

Addendum StartPage: 0



Public Utility Commission of Texas 2028 APR 27 AM II: 17

PUBLIC UTILITY COMMISSION **Annual Report** Required by 16 Texas Admin. Code § 25.97(f

PROJECT NO. 50596

AFFECTED ENTITY: Lighthouse Electric Cooperative, Inc.

General Information

Pursuant to 16 Texas Admin. Code § 25.97(f)(1), not later than May 1 of each year, each affected entity must submit this report for the preceding calendar year. The first report must be submitted not later than May 1, 2020.

Instructions

Answer all questions, fill-in all blanks, and have the report notarized in the affidavit. If you check no in part 1.a, leave parts 1.b-d blank.

Violations resulting from, and incidents, fatalities, or injuries attributable to a violation resulting from, a natural disaster, weather event, or man-made act or force outside of an affected entity's control are not required to be reported.

Affidavit

A representative of the affected entity must swear to and affirm the truthfulness, correctness, and completeness of the information provided by attaching a signed and notarized copy of the Affidavit provided with this form.

Filing Instructions

Submit four copies (an original and three copies) of the completed form and signed and notarized Affidavit to:

> Central Records Filing Clerk Public Utility Commission of Texas 1701 N. Congress Avenue P.O. Box 13326 Austin, Texas 78711-3326

Telephone: (512) 936-7180

Annual Report Form Last Updated in Project No. 49827 Page 1 of 6

	applies only to an affected entity that owns or operates overhead transmission greater than 60 kilovolts.
a)	Does this part 1 apply to you? Yes 🔽 No 🗀
	Provide the number of identified occurrences of noncompliance with Public Utility Regulatory Act (PURA) § 38.004 regarding vertical clearance requirements of the National Electrical Safety Code (NESC) for overhead transmission facilities.
38.004 regard	lectric Cooperative, Inc., has had zero (0) occurrences of noncompliance with PURA ding vertical clearance requirements of the NESC for overhead transmission facilities orm related in the past year.

PROJECT NO. <u>50596</u>

Affected Entity: Lighthouse Electric Coopertive, Inc.

Annual Report Form Last Updated in Project No. 49827

- c) Do you have actual knowledge that any portion of your transmission system is not in compliance with PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities?

 To my knowledge, all of the Lighthouse Electric Cooperative transmission system is currently in compliance with PURA 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities.
 - d) Do you have actual knowledge of any violations of easement agreements with the United States Army Corps of Engineers relating to PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities?

To my knowledge, Lighthouse Electric Cooperative, Inc. has no overhead transmission facilities crossing any navigable waters requiring easement agreements with the United States Army Corps of Engineers, and thus has no violations of any easement agreements with them related to PURA 38 004 regarding vertical clearance requirements of the NESC for overhead transmission facilities

- **2.** This part applies to an affected entity that owns or operates overhead transmission facilities greater than 60 kilovolts or distribution facilities greater than 1 kilovolt.
 - a) Provide the number of fatalities or injuries of individuals other than employees, contractors, or other persons qualified to work in proximity to overhead high voltage lines involving transmission or distribution assets related to noncompliance with the requirements of PURA § 38.004.

Lighthouse Electric Cooperative, Inc. has had zero (0) fatalities or injuries of individuals other than employees, contractors, or other persons qualified to work in proximity to overhead high voltage lines involving transmission or distribution assets related to noncompliance with the requirements of PURA 38 004.

Annual Report Form Last Updated in Project No. 49827

reoccurrence of fatalities or injuries described in subpart a), immediately above. Lighthouse Electric Cooperative, Inc. had zero (0) fatalities or injuries described in subpart a), and therefore did not take or plan any corrective actions to prevent reoccurrence.

b) Provide a description of corrective actions taken or planned to prevent the

AFFIDAVIT

I swear or affirm that I have personal knowledge of the facts stated in this report or am relying on people with personal knowledge, that I am competent to testify to them, and that I have the authority to submit this report on behalf of the affected entity. I further swear or affirm that all statements made in this report are true, correct, and complete.

Signature

Larry D Ogden

Printed Name

Manager of Member Services/Safety Coordinator

Job Title

Lighthouse Electric Cooperative, Inc

Name of Affected Entity

Sworn and subscribed before me this 22 day of 4p

Month

Year

Notary Public in and For the State of Texas

My commission expires on

10/28/2022